

AUS920010617US1 Ku et al. Linking User—Defined Panels to Existing Product Panels








AUS920010617US1

Ku et al.

Linking User-Defined Panels to Existing Product Panels



```
FIG. 10
```

IF (CURRENT_PANEL is a custom panel)

Attach "C_" in front of the data name;

CALL GET_PANEL_DATA(CURRENT_PANEL);

Get BUTTON_LIST for the CURRENT_PANEL;

//check on the sub-panels;

UNTIL (all the buttons on the CURRENT_PANEL has been examined);

THEN

REPEAT

ENDIF;

REPEAT

THEN

```
//Put only the custom panel data in the property
    Put the CURRENT_PANEL data (name-value pair) into the property;
UNTIL (all the data on the CURRENT_PANEL has been put into the property;
    Set (CURRENT_BUTTON = next button in the BUTTON_LIST;
          (CURRENT_BUTTON is not "OK" button
                                                   and
          `CURRENT_BUTTON is not "Apply" button
                                                   and
          CURRENT_BUTTON is not "Cancel" button
                                                   and
          CURRENT_BUTTON is not "Help" button
                                                   and
          CURRENT_BUTTON has TARGET_PANEL)
       Set CURRENT_PANEL = the target panel of CURRENT_BUTTON;
```

1000

AUS920010617US1 Ku et al. Linking User-Defined Panels to Existing Product Panels




		FIG. 7
!	PANEL	DATA 1
702 ~	CUSTOM PANEL CP1	DATA PROPERTY: {JTextField=Text1} NAVIGATION BUTTONS PROPERTY: {Link1=CP2, Link2=CP3}
704~	CUSTOM PANEL CP2	DATA PROPERTY: {JTextField=Text2} NAVIGATION BUTTONS PROPERTY: { }
706	CUSTOM PANEL CP3	DATA PROPERTY: {JTextField=Text3} NAVIGATION BUTTONS PROPERTY: { }
708	CUSTOM PANEL CP4	DATA PROPERTY: {JTextField=Text4} NAVIGATION BUTTONS PROPERTY: { }

700

}

AUS920010617US1

Ku et al.

Linking User-Defined Panels to Existing Product Panels

4/5

FIG. 8

```
JLabel Label1
               = null;
JTextField Text = null;
JButton okButton
                       = null;
JButton cancelButton
                      = null;
                                                  .800
JButton Link1Button
                       = null;
JButton Link2Button
                       = null;
public CP1(. . .)
  public void actionPerformed(ActionEvent event)
          if (event.getSource() == okButton)
          else if (event.getSource() == cancelButton)
          else if (event.getSource() == helpButton)
          else if (event.getSource() == Link11Button)
             CP2.show();
          else if (event.getSource() == Link21Button)
             CP3.show();
```

AUS920010617US1 Ku et al. Linking User-Defined Panels to Existing Product Panels

